1 - PRODUCT IDENTIFICATION

PRODUCT NAME: Seal & Shine

PRODUCT TYPE: Liquid Cationic Drying Agent

CONTROL NUMBER:..... \$3050XXX

COMPANY: Simoniz USA, Inc.

201 Boston Turnpike Bolton, CT 06043 1-800-227-5536

www.simoniz.com

EMERGENCY PHONE:..... (800) 255-3924 (CHEM-TEL)

2 - HAZARDS IDENTIFICATION

CLASSIFICATION OF SUBSTANCE/MIXTURE: Flammable Liquids (3) Acute Toxicity Oral (4) Acute Toxicity Inhalation (4) Skin Irritation (2) Serious Eye Damage (1) Aspiration Toxicity (1)

SYMBOLS:.....



SIGNAL WORD:..... DANGER!

HAZARD STATEMENT:..... Flammable liquid and vapour. Harmful if swallowed Harmful if

inhaled Causes skin irritation. Causes serious eye damage.

May be fatal if swallowed and enters airways

PRECAUTIONARY STATEMENTS:

PREVENTION:

Keep away from heat/sparks/open flames/hot surfaces – No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/light/.../equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wear protective gloves/protective clothing/eye protection/face protection. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product Avoid breathing dust/fume/gas/mist/vapours/spray. Use only outdoors or in a well-ventilated area

RESPONSE:..... IF ON SKIN (or hair): Remove/Take off immediately all

contaminated clothing. Rinse skin with water/shower. In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction. IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. Rinse mouth. IF INHALED:

Remove victim to fresh air and keep at rest in a position

comfortable for breathing. Call a POISON CENTER or doctor/physician Specific treatment (see First AID Section on this label). IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do NOT induce vomiting

STORAGE: Store in a well ventilated place. Keep cool. Store in a well

ventilated place. Keep container tightly closed. Store locked up.

DISPOSAL: Dispose of container and contents in accordance with local

regulations.

3 - COMPOSITION / INFORMATION ON INGREDIENTS

INGREDIENT

Mixed Petroleum Hydrocarbons

Dialkyl Quaternary Ammonium Chloride
2-Butoxy Ethanol
Ethoxylated Tallow Amine
Water

C.A.S. NUMBER
64741-44-2
61789-77-3
111-76-2
68155-39-5
7732-18-5

Percentages of ingredients are being withheld as trade secret information. This information will be disclosed as necessary to authorized individuals

4 - FIRST-AID MEASURES

5 – FIRE-FIGHTING MEASURES

FLASHPOINT:.....This product is non-flammable.

EXTINGUISHING MEDIA:....... This product is non-flammable. Use extinguishing media suitable

for materials already burning.

SPECIAL FIRE FIGHTING PROCEDURES:Firefighters working in areas where this product is present should be equipped with an approved, fully

enclosed SCBA.

UNUSUAL FIRE AND EXPLOSION HAZARDS:......None known.

6 - ACCIDENTAL RELEASE MEASURES

SPILL PROCEDURES: Dike to prevent spillage into streams or sewer systems. Consult

local, state and federal authorities.

WASTE DISPOSAL: As recommended by local, state and federal authorities.

7 - HANDLING and STORAGE

STORAGE: Store in a cool, well ventilated area. Avoid overheating or

freezing.

protection should not be necessary. Wear eye protection if product is likely to splash.Do not place this product in an unmarked container! Keep away from children! Spilled material is

slippery.

8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

RESPIRATORY PROTECTION: Not usually needed in well-ventilated areas. If needed, use a

NIOSH approved respirator.

PROTECTIVE CLOTHING:...... Nitrile or PVC gloves, and chemical splash goggles.

ADDITIONAL MEASURES: Under normal use according to label instructions, special

protection should not be necessary. Wear eye protection if product is likely to splash.Do not place this product in an unmarked container! Keep away from children! Spilled material is

slippery.

INGREDIENT C.A.S. NUMBER PEL

Mixed Petroleum Hydrocarbons	64741-44-2	5 mg/m3 PEL	
Dialkyl Quaternary Ammonium Chloride	61789-77-3	No limits established 20 ppm TLV, 25 ppm PEL No limits established	
2-Butoxy Ethanol	111-76-2		
Ethoxylated Tallow Amine	68155-39-5		
Water	7732-18-5	No limits established	

9 - PHYSICAL / CHEMICAL PROPERITES

APPEARANCE & ODOR: Orange transparent liquid, slight solvent odor.

 ODOR THRESHOLD:
 N/A

 pH:
 N/A

 MELTING POINT:
 N/A

 FREEZING POINT:
 N/A

BOILING POINT:..... 210 degrees F.

BOILING POINT RANGE:..... N/A

FLASHPOINT:.... This product is non-flammable.

EVAPORATION RATE:..... N/A

FLAMMABILITY (solid/gas): N/A EXPLOSION LIMITS:							
10 - STABILITY and REACTIVITY							
STABILITY: Stable under normal conditions. HAZARDOUS DECOMP.: This product not known to polymerize. INCOMPATIBILITY: Do not mix with other chemicals.							
11 – TOXICOLOGICAL INFORMATION							
ROUTE(S) OF ENTRY:							
ENVIRONMENTAL FATE AND DISTRIBUTION: N/A							
13 -DISPOSAL CONSIDERATIONS							
WASTE DISPOSAL: As recommended by local, state and federal authorities.							
14 – TRANSPORTATION INFORMATION							
PROPER SHIPPING NAME: Not D.O.T. regulated. HAZARD CLASS:							

PAGE 4 of 5

P	AC.	(AGI	NG	GRO	OUP	:
	$\neg \circ \iota$	\sim	110	OIV	JUI	

15 - REGULATIONS

Contents of this MSDS comply with the OSHA Hazard Communication Standard 29CFR 1910.1200

16 – OTHER INFORMATION

NFPA HEALTH: 2
NFPA FLAMMABILITY: 1
NFPA REACTIVITY: 0
NFPA OTHER: None

ADDITIONAL:..... The information contained in this SDS is based on the data

available to us from sources we believe to be reliable. No warranty or guaranty expressed or implied is made regarding the accuracy of this data or the results obtained from the reliance on this data. The manufacturer assumes no responsibility for injury from the use of this product. Be safe- read this product safety information and pass it on to all persons who may be exposed to this product. Federal law requires it. This product and/or all of its components are either included on or exempt from the TSCA

Inventory of Chemical Substances.

REVISION DATE:..... 4/11/2016